

1001. Maximum Multiple

+ Time limit: 2 seconds

+ Memory limit: 32 megabytes

Problem Description

Given an integer n , Chiaki would like to find three positive integers x , y and z such that: $n=x+y+z$, $x \mid n$, $y \mid n$, $z \mid n$ and xyz is maximum.

Input

There are multiple test cases. The first line of input contains an integer T ($1 \leq T \leq 10^6$), indicating the number of test cases. For each test case: The first line contains an integer n ($1 \leq n \leq 10^6$).

Output

For each test case, output an integer denoting the maximum xyz . If there no such integers, output -1 instead.

Sample Input

```
3
1
2
3
```

Sample Output

```
-1
-1
1
```

1002. Balanced Sequence

+ Time limit: 1 second

+ Memory limit: 32 megabytes

Problem Description

Chiaki has n strings s_1, s_2, \dots, s_n consisting of '(' and ')'. A string of this type is said to be balanced:

- + if it is the empty string
- + if A and B are balanced, AB is balanced,
- + if A is balanced, (A) is balanced.

Chiaki can reorder the strings and then concatenate them get a new string t .

Let $f(t)$ be the length of the longest balanced subsequence (not necessary continuous) of t . Chiaki would like to know the maximum value of $f(t)$ for all possible t .

Input

There are multiple test cases. The first line of input contains an integer T , indicating the number of test cases. For each test case:

The first line contains an integer n ($1 \leq n \leq 105$) -- the number of strings.

Each of the next n lines contains a string s_i ($1 \leq |s_i| \leq 105$) consisting of '(' and ')'.
)'.

It is guaranteed that the sum of all $|s_i|$ does not exceeds 5×10^6 .

Output

For each test case, output an integer denoting the answer.

Sample Input

```
2
1
)()()
2
)
)()
```

Sample Output

4

2

1003. Triangle Partition

+ Time limit: 1 second

+ Memory limit: 32 megabytes

Problem Description

Chiaki has $3n$ points p_1, p_2, \dots, p_{3n} . It is guaranteed that no three points are collinear.

Chiaki would like to construct n disjoint triangles where each vertex comes from the $3n$ points.

Input

There are multiple test cases. The first line of input contains an integer T , indicating the number of test cases. For each test case:

The first line contains an integer n ($1 \leq n \leq 1000$) -- the number of triangle to construct.

Each of the next $3n$ lines contains two integers x_i and y_i ($-109 \leq x_i, y_i \leq 109$). It is guaranteed that the sum of all n does not exceed 10000.

Output

For each test case, output n lines contain three integers a_i, b_i, c_i ($1 \leq a_i, b_i, c_i \leq 3n$) each denoting the indices of points the i -th triangle use. If there are multiple solutions, you can output any of them.

Sample Input

```
1
1
1 2
2 3
3 5
```

Sample Output

```
1 2 3
```

1004. Distinct Values

+ Time limit: 2 seconds

+ Memory limit: 32 megabytes

Problem Description

Chiaki has an array of n positive integers. You are told some facts about the array: for every two elements a_i and a_j in the subarray $a_l..r$ ($1 \leq i < j \leq r$), $a_i \neq a_j$ holds.

Chiaki would like to find a lexicographically minimal array which meets the facts.

Input

There are multiple test cases. The first line of input contains an integer T , indicating the number of test cases. For each test case:

The first line contains two integers n and m ($1 \leq n, m \leq 105$) -- the length of the array and the number of facts. Each of the next m lines contains two integers l_i and r_i ($1 \leq l_i \leq r_i \leq n$).

It is guaranteed that neither the sum of all n nor the sum of all m exceeds 106.

Output

For each test case, output n integers denoting the lexicographically minimal array. Integers should be separated by a single space, and no extra spaces are allowed at the end of lines.

Sample Input

```
3
2 1
1 2
4 2
1 2
3 4
5 2
1 3
2 4
```

Sample Output

1 2

1 2 1 2

1 2 3 1 1

1005. Maximum Weighted Matching

+ Time limit: 4 seconds

+ Memory limit: 64 megabytes

Problem Description

Chiaki is good at generating special graphs. Initially, she has a graph with only two vertices connected by an edge. Each time, she can choose an edge (u, v) , make a copy of it, insert some new vertices (maybe zero) in the edge (i.e. let the new vertices be t_1, t_2, \dots, t_k , Chiaki would insert edges (u, t_1) , (t_1, t_2) , (t_{k-1}, t_k) , (t_k, v) into the graph).

Given a weighted graph generated by above operations, Chiaki would like to know the maximum weighted matching of the graph and the number different maximum weighted matchings modulo (10^9+7) .

A matching in a graph is a set of pairwise non-adjacent edges, none of which are loops; that is, no two edges share a common vertex.

A maximum weighted matching is defined as a matching where the sum of the values of the edges in the matching have a maximal value.

Input

There are multiple test cases. The first line of input contains an integer T , indicating the number of test cases. For each test case:

The first line contains two integers n and m ($1 \leq n, m \leq 10^5$) -- the number of vertices and the number of edges.

Each of the next m lines contains three integers u_i , v_i and w_i ($1 \leq u_i, v_i \leq n, 1 \leq w_i \leq 10^9$) -- denoting an edge between u_i and v_i with weight w_i .

It is guaranteed that neither the sum of all n nor the sum of all m exceeds 10^6 .

Output

For each test case, output two integers separated by a single space. The first one is the sum of weight and the second one is the number of different maximum weighted matchings modulo (10^9+7) .

Sample Input

```
2
6 7
1 2 1
2 3 1
4 5 1
5 6 1
1 4 1
2 5 1
3 6 1
4 5
1 2 1
1 3 1
1 4 1
2 3 1
3 4 1
```

Sample Output

```
3 3
2 2
```


1006. Period Sequence

+ Time limit: 6 seconds

+ Memory limit: 32 megabytes

Problem Description

Chiaki has n integers s_0, s_1, \dots, s_{n-1} . She has defined an infinite sequence S in the following way: $S_k = s_{k \bmod n}$, where k is a zero based index.

For a continuous subsequence $S[l..r]$, let cnt_x be the number of occurrence of x in the subsequence $S[l..r]$. Then the value of $S[l..r]$ is defined as follows

$$f(l, r) = \sum_x x \cdot \text{cnt}_x^2$$

For two integers a and b ($a \leq b$), Chiaki would like to find the value of

$$\left(\sum_{a \leq l \leq r \leq b} f(l, r) \right) \bmod (10^9 + 7)$$

$$a \leq l \leq r \leq b$$

Input

There are multiple test cases. The first line of input contains an integer T , indicating the number of test cases. For each test case:

The first line contains three integers n , a and b ($1 \leq n \leq 2000, 0 \leq a \leq b \leq 10^{18}$).

The second line contains n integers s_0, s_1, \dots, s_{n-1} ($0 \leq s_i \leq 10^9$).

It is guaranteed that the sum of all n does not exceed 20000.

Output

For each test case, output an integer denoting the answer.

Sample Input

```
4
3 2 6
2 1 3
5 2 7
2 1 5 1 2
4 4 8
2 1 5 17
3 5 9
2 5 2
```

Sample Output

```
179
268
369
437
```

1007. Chiaki Sequence Revisited

+ Time limit: 1 second

+ Memory limit: 32 megabytes

Problem Description

Chiaki is interested in an infinite sequence a_1, a_2, a_3, \dots , which is defined as follows:

$$a_n = \begin{cases} 1 & n = 1, 2 \\ a_{n-1} + a_{n-2} & n \geq 3 \end{cases}$$

Chiaki would like to know the sum of the first n terms of the sequence, i.e. $\sum_{i=1}^n a_i$. As this number may be very large, Chiaki is only interested in its remainder modulo (10^9+7) .

Input

There are multiple test cases. The first line of input contains an integer $T (1 \leq T \leq 10^5)$, indicating the number of test cases. For each test case:

The first line contains an integer $n (1 \leq n \leq 10^{18})$.

Output

For each test case, output an integer denoting the answer.

Sample Input

```
10
1
2
3
4
5
6
7
8
9
10
```

Sample Output

1

2

4

6

9

13

17

21

26

32

1008. RMQ Similar Sequence

+ Time limit: 2 seconds

+ Memory limit: 128 megabytes

Problem Description

Chiaki has a sequence $A = \{a_1, a_2, \dots, a_n\}$. Let $\text{RMQ}(A, l, r)$ be the minimum i ($1 \leq i \leq r$) such that a_i is the maximum value in a_l, a_{l+1}, \dots, a_r .

Two sequences A and B are called *RMQ Similar*, if they have the same length n and for every $1 \leq l \leq r \leq n$, $\text{RMQ}(A, l, r) = \text{RMQ}(B, l, r)$.

For a given the sequence $A = \{a_1, a_2, \dots, a_n\}$, define the weight of a sequence $B = \{b_1, b_2, \dots, b_n\}$ be $\sum_{i=1}^n b_i$ (i.e. the sum of all elements in B) if sequence B and sequence A are RMQ Similar, or 0 otherwise. If each element of B is a real number chosen independently and uniformly at random between 0 and 1, find the expected weight of B .

Input

There are multiple test cases. The first line of input contains an integer T , indicating the number of test cases. For each test case:
The first line contains an integer n ($1 \leq n \leq 10^6$) -- the length of the sequence.
The second line contains n integers a_1, a_2, \dots, a_n ($1 \leq a_i \leq n$) denoting the sequence.
It is guaranteed that the sum of all n does not exceed 3×10^6 .

Output

For each test case, output the answer as a value of a rational number modulo 10^9+7 . Formally, it is guaranteed that under given constraints the probability is always a rational number $\frac{p}{q}$ (p and q are integer and coprime, q is positive), such that q is not divisible by 10^9+7 . Output such integer a between 0 and 10^9+6 that $p-aq$ is divisible by 10^9+7 .

Sample Input

```
3
3
1 2 3
3
1 2 1
5
1 2 3 2 1
```

Sample Output

```
250000002
500000004
125000001
```

1009. Lyndon Substring

+ Time limit: 3 seconds

+ Memory limit: 64 megabytes

Problem Description

A string w is said to be a Lyndon word if w is lexicographically smaller than any of its cyclic rotations.

The longest Lyndon substring of a string s is the longest substring of s which is a Lyndon word.

Chiaki has n strings s_1, s_2, \dots, s_n . She has some queries: for some pair (i, j) , find the length of the longest Lyndon substring of string $s_i s_j$.

Input

There are multiple test cases. The first line of input contains an integer T , indicating the number of test cases. For each test case:

The first line contains two integers n and m ($1 \leq n, m \leq 105$) -- the number of strings and the number of queries.

Each of the next n lines contains a nonempty string s_i ($1 \leq i \leq n$) consisting of lowercase English letters.

Each of the next m lines contains two integers i and j ($1 \leq i, j \leq n$) denoting a query.

It is guaranteed that in one test case the sum of all $|s_i|$ does not exceed 5×10^5 and that in all cases the sum of all $|s_i|$ does not exceed 5×10^6 .

It is guaranteed that neither the sum of all n nor the sum of all m exceeds 10^6 .

Output

For each query, output an integer denoting the answer.

Sample Input

1
2 1
aa
bb
1 2

Sample Output

4

1010. Turn Off The Light

+ Time limit: 2 seconds

+ Memory limit: 64 megabytes

Problem Description

There are n lights aligned in a row. These lights are numbered 1 to n from left to right. Initially some of the lights are turned on. Chiaki would like to turn off all the lights.

Chiaki starts from the p -th light. Each time she can go left or right (i.e. if Chiaki is at x , then she can go to $x-1$ or $x+1$) and then press the switch of the light in that position (i.e. if the light is turned on before, it will be turned off and vice versa).

For each $p=1,2,\dots,n$, Chiaki would like to know the minimum steps needed to turn off all the lights.

Input

There are multiple test cases. The first line of input is an integer T indicates the number of test cases. For each test case:

The first line contains an integer n ($2 \leq n \leq 10^6$) -- the number of lights.

The second line contains a binary string s where $s_i=1$ means the i -th light is turned on and $s_i=0$ means i -th light is turned off.

It is guaranteed that the sum of all n does not exceed 10^7 .

Output

For each test cases, output $(\sum_{i=1}^n i \times z_i) \bmod (10^9+7)$, where z_i is the number of step

needed when Chikai starts at the i -th light.

Sample Input

3
3
000
3
111
8
01010101

Sample Output

0
26
432

1011. Time Zone

- + Time limit: 1 seconds
- + Memory limit: 32 megabytes

Problem Description

Chiaki often participates in international competitive programming contests. The time zone becomes a big problem.

Given a time in Beijing time (UTC +8), Chiaki would like to know the time in another time zone s .

Input

There are multiple test cases. The first line of input contains an integer T ($1 \leq T \leq 10^5$), indicating the number of test cases. For each test case:

The first line contains two integers a , b ($0 \leq a \leq 23, 0 \leq b \leq 59$) and a string s in the format of "UTC+X", "UTC-X", "UTC+X.Y", or "UTC-X.Y" ($0 \leq X, X.Y \leq 14, 0 \leq Y \leq 9$).

Output

For each test, output the time in the format of $hh:mm$ (24-hour clock).

Sample Input

```
3
11 11 UTC+8
11 12 UTC+9
11 23 UTC+0
```

Sample Output

```
11:11
12:12
03:23
```